

A Truly Modular Locker System That Can Be Configured or Recognized On-the-fly

The AutoLocker FX is the first and only locker system on the market designed to be completely modular in every way. This platform lets you build a custom configured locker system for the unique needs of your company.

The rack mounted approach allows you to configure exactly what you need and purchase only what you need. No need to purchase excess lockers and use up valuable floor space.

You decide the frame size, controller box, locker size, power (optional), and network switch (optional). Locker modules are available in 12 different sizes for you to choose from. Locker modules come in 6 in. (152.4 mm) high increments with a standard 24 in. (609.6 mm) depth and a wide variety of widths available that can be mixed and matched to provide a customized solution.

See-through windows with bright LED lighting allow the user to quickly identify the items they want and then issue it through an intuitive touch-screen user interface. Multistate LED status lights quickly identify which items are out on the floor as well as the status of the items that are inside the lockers.

The AutoLocker FX also provides for optional 110V AC power outlets so that battery operated tools and equipment can be charged while in the locker. Further, the system will manage the charge time and always dispense the item with the longest charge. e-Tools (laptops and iPads) can also be charged while managing virus definitions and operating system updates.



EASIEST LOCKER SYSTEM TO:

- Customize
- Install
- Reconfigure
- Move

FEATURES:

- Stand-alone or add-on (RoboCrib®, Tambour TX750, RDS)
 - Up to 126 lockers per controller
 - Small locker footprint
 - Large see-through windows provide maximum visibility
 - LED lighting clearly illuminates the product inside
 - Informative status lights on each locker door or drawer
 - Motor driven latches reduce jamming and maintenance issues
 - Lockers can be numbered per the customer's requirement
 - Easily reconfigured by changing door sizes and dividers
 - Special locker drawers available for laptops, tablets and eTools
 - Ability to issue only items that are fully charged or with the most remaining battery life first
 - Can be configured with or without standard lockers
- Optional:
- 110V Power for keeping batteries and items fully charged
 - Individual cooling fans and filtration systems to keep e-tools clean and cool
 - Managed switch systems to push updates and virus definitions to laptops, equipment, and e-tools
 - Caster wheels make it easy to relocate lockers where you want them

Part Number	Included: Power/LAN	Optional: Power/LAN	Door Dimensions			Dimensions Height x Depth		Number of Doors	Required Rack Space
			Doors	inch	(mm)	inch	(mm)		
714-101	Yes	Yes	1	24	(609.6)	3 x 24	(76.2 x 609.6)	1	1
714-102	Yes	Yes	1	24	(609.6)	6 x 24	(152.4 x 609.6)	1	2
714-103	Yes	Yes	2	24 x 1.5	(609.6 x 38.1)	3 x 24	(76.2 x 609.6)	2	1
714-201	No	Yes	4	6	(152.4)	6 x 24	(152.4 x 609.6)	4	2
714-202	No	Yes	2	12	(304.8)	6 x 24	(152.4 x 609.6)	2	2
714-203	No	Yes	1 and 1	6 and 18	(152.4 and 457.2)	6 x 24	(152.4 x 609.6)	2	2
714-204	No	Yes	1	24	(609.6)	6 x 24	(152.4 x 609.6)	1	2
714-205	No	Yes	2	12	(304.8)	12 x 24	(304.8 x 609.6)	2	4
714-206	No	Yes	1 and 1	6 and 18	(152.4 and 457.2)	12 x 24	(304.8 x 609.6)	2	4
714-207	No	Yes	1	24	(609.6)	12 x 24	(304.8 x 609.6)	1	4
714-208	No	Yes	1	24	(609.6)	18 x 24	(457.2 x 609.6)	1	6
714-209	No	Yes	1	24	(609.6)	24 x 24	(609.6 x 609.6)	1	8
714-210	No	Yes	4	6	(152.4)	36 x 24	(914.4 x 609.6)	4	12
714-211	No	Yes	2	12	(304.8)	72 x 24	(1,828.8 x 609.6)	2	24
714-212	No	Yes	2	18	(457.2)	18 x 24	(457.2 x 609.6)	2	0

DistributionNOW has produced this for general information only, and it is not intended for design purposes. Although every effort has been made to maintain the accuracy and reliability of its contents, DistributionNOW in no way assumes responsibility for liability for any loss, damage or injury resulting from the use of information and data herein. All applications for the material described are at the user's risk and are the user's responsibility.